

RAPIC



SORTE PŠENICE I JEČMA

A>KEREAL

www.rapic.ba

PROVIDENCE

Intenzivna sorta za visoke prinose



OSOBINE SORTE

- » **Rana** sorta
- » **Ozima** pšenica
- » Visok potencijal prinosa **9 - 11 t/ha**
- » Visoka hektolitarska masa **79 - 80 kg**
- » **Izuzetna adaptabilnost** na različite klimatske i zemljišne uslove



OTPORNOST NA BOLESTI

Fusarium



Pepelnica



Žuta hrđa



Septoria



AGRO-TEHNOLOŠKE KARAKTERISTIKE

- » Sjetvena norma: **450 - 500 klijavih zrna/m²**
- » Optimalno vrijeme sjetve: **10 - 25. oktobar**
- » Visina: **srednjeg rasta.**
- » Izraženo **produktivno busanje**
- » Prisutnost osja: **brkulja**



KARAKTERISTIKE

- » **A2 - B1** kvaliteta
- » Protein: **13 %**
- » Vlažni gluten: **27 - 28 %**
- » Broj padanja (Hagberg): **310 - 320 s**
- » Sedimentacija (Zeleny index): **55 - 57 ml**
- » W: **240 - 260**
- » P/L: **0,6 - 0,8**

AXEREAL

PŠENICA

COMPLICE

Pšenica vrhunskog prinosa



OSOBI NE SORTE

- » **Srednje** rasna sorta
- » **Ozima** pšenica
- » Dobra prilagodljivost različitim tlima i klimatskim uslovima
- » **Visok potencijal prinosa**
(preko 10 t/ha)
- » **Visoki** hektolitar



OTPORNOST NA BOLESTI

Fusarium



Pepelnica



Žuta hrđa



Septoria



AGRO-TEHNOLOŠKE KARAKTERISTIKE

- » Sjetvena norma: **450 - 500**
klijavih zrna/m²
- » Optimalno vrijeme sjetve:
10 - 25. oktobar
- » Visina: **niska do srednje**
visoka (80 cm)
- » Prisutnost osja: **brkulja**
- » **Dobro** prezimljavanje



KARAKTERISTIKE

- » **A2 - B1** kvaliteta
- » Protein: **12,5 %**
- » Vlažni gluten: **26 - 27 %**
- » Broj padanja (Hagberg): **380 s**
- » Sedimentacija (Zeleny index):
45 - 55 ml
- » W: **140 - 190**
- » P/L: **1,0 - 1,9**

AXKEREAL

PŠENICA

IINA

Najraniji stočni ječam



OSOBI NE SORTE

- » **Šestoredni fakultativni** stočni ječam
- » **Nordijska sorta ječma,** priznata na sortnu listu EU 2023.
- » **Vrlo rana** vegetacija
- » **Dobra adaptabilnost** na različite klimatske i zemljišne uslove
- » **Odlična ravnoteža visine prinosa,** ranostasnosti i kvalitete



OTPORNOST NA BOLESTI

Mrežasta pjegavost lista



Siva pjegavost



AGRO-TEHNOLOŠKE KARAKTERISTIKE

- » **Jesenji rok:** optimalno vrijeme sjetve je zadnja dekada oktobra i prva dekada novembra
- » **Prolječni rok:** optimalno vrijeme sjetve je od početka februara pa do prvih dana marta
- » Preporučena gustina sjetve: oko **350 - 450 klijavih zrna/mt**
- » Visina: **srednja do visoka**



KARAKTERISTIKE

- » **Visok sadržaj skroba i proteina** u zrnu, te dobra svarljivost stavljaju sortu Iina kao favorit u stočnoj ishrani.
- » Hektolitar: **oko 60 kg/HL**

AXKEREAL

JEČAM

REZULTATI OGLEDA

2026

Complice

Proizvođač	Lokacija	Prinos (kg/ha, 13 % vlage)
Čedo Borojević	Tišina, Šamac	8126
PD "Napredak"	Pelagićevo	9521
Mlin "Jelena"	Draksenić, Kozarska Dubica	8704
Stevan Perković	Ljeskovac, Bijeljina	7195
Đuro Cvijić	Kladari, Srbac	10450
PD "Semberija"	Bijeljina	7146

NAJBOLJI
PRINOS NA
OGLEDU

NAJBOLJI
PRINOS NA
OGLEDU

Providence

Proizvođač	Lokacija	Prinos (kg/ha, 13 % vlage)
Čedo Borojević	Tišina, Šamac	9271
PD "Napredak"	Pelagićevo	9356
Mlin "Jelena"	Draksenić, Kozarska Dubica	8650
Stevan Perković	Ljeskovac, Bijeljina	7210
Đuro Cvijić	Kladari, Srbac	9958
PD "Semberija"	Bijeljina	7180



POLJOPRIVREDNA APOTEKA "RAPIĆ"

Put srpske vojske 204, 78 400 Gradiška, BiH



+387 51 835 760



polj.apoteka@rapic.ba



www.rapic.ba

Komercijalni savjetnici:

Branko Popović, 066 665 728

Ognjen Cvijić, 065 372 650

Veljko Janjanin, 065 517 753